



# AGRICULTURAL PRODUCT CATALOG

## QUALITY COATINGS & REPAIR PRODUCTS

BARN & FENCE | ROOF & FOUNDATION | DRIVEWAY | CONCRETE



**FARM PRIDE™**  
*Seal Of Approval*



# FARM PRIDE™

*Seal Of Approval*

The **Farm Pride Seal of Approval** signifies a dedicated commitment to product quality and environmental stewardship. **Farm Pride** designated products represent livestock friendly formulations that exhibit outstanding performance and durability in a variety of climatic conditions and geographical locations.

**JETCOAT Farm Pride** designated products are specifically formulated to beautify and protect agricultural roofs, foundations, barns, fences, grain bins, silos and driveways.







# BARN & FENCE PAINT

## PREMIUM ONE COAT 100% ACRYLIC BARN & FENCE PAINT

A premium fade resistant 100% acrylic paint fortified with UV inhibitors for years of lasting durability. Easily applied by spray, brush or roller. Features one coat coverage. Available in Traditional Barn Red, Gray, White, Green and Black.

### USES:

- All Wood Plank Fences
- All Types of Barns
- Roofs, Concrete & More

### FEATURES:

- Acrylic Water-Based Formula
- Resists Fading, Peeling & Chipping
- Environmentally Friendly Formula
- Helps Prevent Cribbing

- Livestock Safe - Dry Finish
- Mold-Resistant
- Easy Soap & Water Cleanup
- Dries to a Semi-Gloss Finish

### CONTAINER SIZE:

55 Gallon, 4.75 Gallon

### COVERAGE:

Approximately 95 - 100 square feet per gallon per coat depending upon porosity of surface.

4-Board Wood Plank Fence: Approximately 50 four-Board Fence Panels per 55 gallon drum of paint. Approximately 4.5 four-Board Fence Panels per 4.75 gallon pail of paint.

### PRODUCT DETAILS:

SIZE:	ITEM #	WEIGHT	COLOR
55 Gal. Drum	J66407D	523 lbs.	Red
4.75 Gal. Pail	J66405	47.5 lbs.	Red
55 Gal. Drum	J66437D	567 lbs.	Gray
4.75 Gal. Pail	J66435	52 lbs.	Gray
55 Gal. Drum	J66427D	567 lbs.	White
4.75 Gal. Pail	J66425	52 lbs.	White
55 Gal. Drum	J66417D	523 lbs.	Black
4.75 Gal. Pail	J66415	47.5 lbs.	Black
55 Gal. Drum	J66397D	523 lbs.	Green
4.75 Gal. Pail	J66395	47.5 lbs.	Green

### PAINT COLOR CHART:

TRADITIONAL BARN RED	CLASSIC BARN GREEN
DOVE GRAY	CLASSIC BLACK
TRADITIONAL WHITE	* Colors may vary slightly due to printing limitations from samples above.



## ACRYLIC FENCE & BARN PAINT



Quality acrylic fence paint designed to beautify and protect wood plank fences, barns and more.

### USES:

- All Wood Plank Fences
- All Types of Barns

### FEATURES:

- Acrylic Water-Based Formula
- Resists Fading, Peeling & Chipping
- Environmentally Friendly Formula
- Livestock Safe - Dry Finish
- Mold-Resistant
- Easy Soap & Water Cleanup
- Dries to a Semi-Gloss Black Finish

### COVERAGE:

Approximately 95 - 100 square feet per gallon per coat depending upon porosity of surface.

4-Board Wood Plank Fence: Approximately 50 four-Board Fence Panels per 55 gallon drum of paint. Approximately 4.5 four-Board Fence Panels per 4.75 gallon pail of paint.

### PRODUCT DETAILS:

SIZE:	ITEM #	WEIGHT
.9 Gal. Pail	66761	9 lbs.
4.75 Gal. Pail	66765	66 lbs.
55 Gal. Drum	66767D	511 lbs.
275 Gal. Tote	66762	2555 lbs.

## PREMIUM ASPHALT FENCE PAINT



Asphalt based fence paint fortified with special oils designed to penetrate, preserve and protect wood and other types of surfaces. It will also add years of service life as it rust proofs metal, preserves wood, damp proofs stone or brick and rejuvenates composition surfaces. Helps prevent cribbing on fencing and stalls. Designed for use above or below grade.

### USES:

- Wood or Metal Fences & Posts
- Masonry & Concrete
- Use Above or Below Grade

### FEATURES:

- Apply by brush, Spray or Roller
- Penetrates, Preserves & Protects
- Livestock Safe - Dry Finish

### COVERAGE:

Up to 200 square feet per gallon

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66445	1	49 lbs.
.9 Gal. Pail	66441	6	59 lbs.

## PREMIUM ALUMINUM PAINT



A premium resin based aluminum protective paint that exhibits a brilliant silver color for superior reflectivity. Protects a variety of metal surfaces including grain bins, silos, roofs, chain link fences and more. Can also be applied to wood, concrete and other building substrates where enhanced reflectivity is desired. Dries bright silver.

### USES:

- Grain Bins/Silos
- Metal Roofs & Fences
- Tanks & Trailers
- Dairy Equipment
- Metal & Wood Surfaces

### FEATURES:

- Outstanding Reflectivity
- Long-Term Durability
- Lustrous Aluminum Finish
- Cools Interior Building & Structure Temperature
- Weatherproofs

### COVERAGE:

Up to 180 square feet per gallon

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66455	1	49 lbs.
.9 Gal. Pail	66451	6	59 lbs.



# ROOF COATING & REPAIR

## 7-YEAR PREMIUM FIBERED ALUMINUM ROOF COATING



This premium energy saving formula stays brighter longer. It will seal, protect, and reflect solar heat using a proven blend of selected waterproofing pigments. Forms an excellent adhesive bond with most substrates. Areas immediately under roof will remain approximately 15-20 degrees cooler in summer. In winter, heat is reflected back into the building, saving energy costs. Dries bright silver.

### USES:

- Agricultural Buildings, Solos & Grain Bins
- Metal & Built up Roofs
- Weathered Asphalt Coatings
- Mobile Homes/RV's
- Mod. Bitumen, SBS/APP

### FEATURES:

- 7-Year Protection
- Stays Brighter Longer
- Bright Silver Color
- Premium Energy Saving Formula

### COVERAGE:

Metal Roofs: 75-100 square feet per gallon  
Composition Roofs: 50-75 square feet per gallon

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66465	1	49 lbs.
.9 Gal. Pail	66461	6	58 lbs.

## 5-YEAR FIBERED ALUMINUM ROOF COATING



A blend of select asphalts, fibers and aluminum pigments. This material will reflect up to 80% of the sun's rays, helping prevent excessive drying and cracking of substrate, thus reducing leaks. Areas immediately under roof will remain approximately 15-20 degrees cooler in summer. In winter, inside heat is reflected back into the building, saving energy costs.

### USES:

- Agricultural Buildings, Silos & Grain Bins
- Metal & Built-Up Roofs
- Weathered Asphalt Coatings
- Mobile Homes/RV's
- Mod. Bitumen, SBS/APP

### FEATURES:

- 5-Year Protection
- Saves Energy & Reflects Heat
- Bright Aluminum Color
- Ideal for Use on Farm Buildings, Mobile Homes & RV's

### COVERAGE:

Metal Surface: 70-100 square feet per gallon  
Composition Surface: 40-60 square feet per gallon

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66475	1	49 lbs.
.9 Gal. Pail	66471	6	58 lbs.



## 10-YEAR PREMIUM WHITE REFLECTIVE ELASTOMERIC ROOF COATING



A superior product featuring unmatched adhesion, low temperature flexibility and durability. This product exceeds the stringent performance requirements of ASTM-D6083. Forms a tough, durable rubber membrane over a variety of roof surfaces. Superior reflectivity lowers interior building temperature providing energy savings up to 35%. Dries bright white.

### USES:

- Old Asphalt Coatings
- Composition Built-Up
- Polyurethane Foam, Mobile Homes & RV's
- EDPM Roofs, APP & SBS Mod. Bitumen
- Metal, Concrete, Wood & More

### FEATURES:

- Forms a Durable Rubber Membrane
- High Solids Formula for a Maximum Film Build
- Meets ASTM D6083
- 100% Acrylic Elastomeric Formula
- Superior Reflectivity
- 10-Year Protection

### COVERAGE:

Approximately 50-75 square feet per gallon per coat. Two coats are recommended.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66485	1	55 lbs.
.9 Gal. Pail	66481	6	69 lbs.

## 7-YEAR WHITE REFLECTIVE ELASTOMERIC ROOF COATING



Acrylic elastomeric coating that forms a rubber-like membrane over roof surfaces. Features outstanding reflectivity that lowers interior building temperatures for energy savings up to 35%. Dries bright white.

### USES:

- Old Asphalt Coatings
- Composition Built-Up
- Polyurethane Foam, Mobile Homes & RV's
- Metal, Concrete, Wood & More

### FEATURES:

- Forms a Durable Rubber Membrane

- Superior Reflectivity
- Acrylic Elastomeric Formula
- 7-Year Protection

### COVERAGE:

Approximately 5-075 square feet per gallon per coat. Two coats are recommended.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66495	1	55 lbs.
.9 Gal. Pail	66491	6	69 lbs.

## WHITE ELASTOMERIC ROOF PATCH



An acrylic emulsion patch material designed for repairing cracks, seams, edges around skylights, vents, and metal joints. Dries white.

### USES:

- Patching Cracks
- Filling Holes
- Repairing Flashings, Vents, Gutters & Air Conditioners

### FEATURES:

- Acrylic Elastomeric Polymers for Long Lasting Flexibility

- Outstanding Durability
- Easy to Apply

### COVERAGE:

One .9 gallon pail will cover approximately 12 square feet at 1/8" thick or 35 linear feet of 4" wide repair at 1/8" thick.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
.9 Gal. Pail	66501	6	71 lbs.

## FIBERED ROOF & FOUNDATION COATING



A mixture of liquid asphalt and fibers designed to form a tough, adhesive bond with most roof surfaces. This material will seal small cracks, joints, seams and nail holes. Highly resistant to water and other types of weather damage. Dries black.

### USES:

- Metal Roofs
- Concrete Roofs
- Built-Up Roofs
- Concrete Foundations
- Roof Felts, Wood Roofs, & More

### FEATURES:

- Seals, Protects & Waterproofs
- Use Above or Below Grade

### COVERAGE:

Metal-Roof: 60-70 sq. ft. per gallon  
 Felt or Composition: 50-60 sq. ft. per gallon  
 Concrete: 25-50 sq. ft. per gallon  
 Old Oxidized Roofing: 25-50 sq. ft. per gallon

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66515	1	44 lbs.
.9 Gal. Pail	66511	6	52 lbs.

## NON-FIBERED ROOF, FENCE & FOUNDATION COATING



This sealer/preservative is an excellent saturant for excessively dry composition roofing. It will add years of service as it rust proofs metal, preserves wood, damp proofs stone or brick and rejuvenates composition surfaces. May be used to coat concrete foundations, above and below grade. Ideal for use as a fence and barn coating.

### USES:

- Concrete Foundations
- Most Roof Surfaces
- Wood Fences & Barn
- Metal, Concrete, Wood & More

### FEATURES:

- Penetrates, Preserves & Protects Roofs, Foundations, Wood Fences, Barns & More
- Use Above or Below Grade

### COVERAGE:

Metal-Surfaces: 90-100 sq. ft. per gallon  
 Concrete and Masonry Surfaces: 75-100 sq. ft. per gallon  
 Wood or Composition: 50-80 sq. ft. per gallon  
 Worn Roofing: 50-80 sq. ft. per gallon

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66525	1	42 lbs.
.9 Gal. Pail	66521	6	47 lbs.

## ALL-WEATHER ROOF CEMENT



A thick blend of liquid asphalt and fibers specially designed as a patching material, adhesive and general utility sealing compound that imparts water-repellency to flashings, seams or patches in roofs and gutters.

### USES:

- Splits & Seams
- Vents & Skylights
- Chimneys & Coping
- Flashings
- Metal Joints

### FEATURES:


- Bonds Rapidly to Wet, Moist & Cold Surfaces
- Ideal for Use on Vent Pipes & Skylights

### COVERAGE:

12 square feet per gallon at 1/8 inches thick

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66535	1	50 lbs.
.9 Gal. Pail	66531	6	56 lbs.



# DRIVEWAY FILLERS & SEALERS

## ELASTOMERIC POURABLE DRIVEWAY CRACK FILLER



A polymer modified elastomeric asphalt emulsion pourable crack filler designed for sealing cracks up to 3/4" wide in asphalt pavement surfaces. Dries Black.

### USES:

- Filling cracks in asphalt pavement

### FEATURES:

- Elastomeric Formula for Outstanding Flexibility & Adhesion
- Fills & Seals Cracks in Asphalt Driveways
- Seals Out Moisture
- High Solids Formula for Lasting Repair
- Dries Black

### COVERAGE:

One .9 Gallon Jug will fill approximately 150 lineal feet of cracks 1/2 inches wide by 1/4 inches deep.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
.9 Gal. Jug	66571	6	62.3 lbs.

## TROWEL GRADE CRACK FILLER



Heavy-bodied sand-filled trowel grade asphalt emulsion crack filler designed for filling cracks up to 1" wide in asphalt pavement surfaces. Can also be used to fill shallow ruts and depressions in pavement surfaces. Dries Black.

### USES:

- Filling cracks & ruts in asphalt pavement

### FEATURES:

- Fills Cracks & Ruts in Asphalt Driveways
- Seals Out Moisture
- Easy To Apply
- Dries Black

### COVERAGE:

Ultimate coverage will be dependent upon depth and width of crack.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
.9 Gal. Pail	66581	6	77.82 lbs.



## 8-YEAR PREMIUM DRIVEWAY RESURFACER



A polymer modified asphalt emulsion based driveway resurfacer designed to beautify, protect and renew asphalt pavement surfaces. Fortified with sand for added filling, slip resistance and durability.

### USES:

- Asphalt driveways & parking areas

### FEATURES:

- 8-Year Protection
- 8X Polymer Modification
- High Solids Formula for Good Filling & Long Term Protection
- Fast and Easy to Apply
- Dries Black

### COVERAGE:

One 4.75 Gallon Pail will cover approximately 250-350 SQ. FT. per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66545	1	57.5 lbs.

## 5-YEAR DRIVEWAY FILLER & SEALER



A polymer modified asphalt emulsion based driveway filler and sealer designed to beautify and protect asphalt pavement surfaces. Fortified with sand for added filling, slip resistance, and durability.

### USES:

- Asphalt driveways & parking areas

### FEATURES:

- 5-Year Protection
- 5X Polymer Modification
- Fills & Seals Blacktop Surfaces
- Dries Black

### COVERAGE:

One 4.75 Gallon Pail will cover approximately 250-350 SQ. FT. per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66555	1	57.5 lbs.

## 2-YEAR DRIVEWAY SEALER



A polymer modified asphalt emulsion based driveway sealer designed to protect asphalt pavement surfaces. Fortified with sand for slip resistance and durability.

### USES:

- Asphalt driveways & parking areas

### FEATURES:

- 2-Year Protection
- 2X Polymer Modification
- Fortified With Sand for Slip-Resistance
- Dries Black

### COVERAGE:

One 4.75 Gallon Pail will cover approximately 250-350 SQ. FT. per coat. Two coats are recommended for maximum durability and warranty purposes. Coverage will ultimately be dependent upon pavement porosity. Extremely porous pavement may significantly reduce product coverage.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66565	1	55.4 lbs.



# CONCRETE SEALER & REPAIR

## CONCRETE CRACK SEALANT



A 100% acrylic elastomeric sealant designed for filling cracks up to 1/2" wide in concrete pavement surfaces.

### USES:

- Filling Cracks in Concrete Pavement Surfaces

### FEATURES:

- Seals Out Moisture
- Fills Cracks Up To 1/2" Wide

- High Solids Formulation for Lasting Repair

### COVERAGE:

Coverage is dependent upon depth and width of cracks. Typically, one quart of Concrete Crack Sealant will fill approximately 20-35 feet of cracks.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
.9 Qt. Bottle	66724	12	39 lbs.

## CONCRETE CLEANER



An environmentally friendly, water based formula designed to clean all types of concrete and brick surfaces.

### USES:

- Concrete Surfaces, Driveways, Patios, Paver Bricks, Exposed Aggregate & More

### FEATURES:

- Non-Toxic
- Water Based

### COVERAGE:

Dependent upon dilution rate with water.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
.9 Qt. Bottle	66734	12	30 lbs.

## CONCRETE BONDING AGENT & FORTIFIER



A professional grade bonding agent & fortifier for concrete designed to strengthen concrete patches and aid in the adhesion of new concrete.

### USES:

- Concrete Patches, Repairs & Overlays

### FEATURES:

- Increases UV, Chemical & Water Resistance

- Strengthens Concrete Repairs & Overlays
- Adheres New Concrete to Old
- Increases Flexibility

### COVERAGE:

Dependent upon dilution rate with water.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
.9 Qt. Bottle	66744	12	30 lbs.

## JETCOAT® CONCRETE SEALER



A professional grade 100% acrylic water-based clear drying emulsion. It is designed to seal and protect both interior and exterior concrete surfaces.

### USES:

- Driveways, Patios, Sidewalks, Pool Decks, Floors, Quarry Tiles, Paver Bricks, Brick Surfaces, Masonry, & More. For interior and exterior use.

### FEATURES:

- Seals & Protects
- Dustproofs
- Weatherproofs
- Water-Based

- Clear Finish
- Cures Concrete
- Salt & Chemical Resistant

### COVERAGE:

For best results apply Concrete Sealer at a rate of 200 square feet per gallon (950 square feet per 4.75 gallon pail).

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal. Pail	66595	1	46 lbs.
.9 Gal. Pail	66591	6	55 lbs.

## HIGH GLOSS SEALER



A 100% water-based acrylic clear sealer that provides a high gloss protective and durable finish to paving stone and exposed aggregate surfaces.

### USES:

- Paving Stone, Decorative Stone, and Exposed Aggregate Concrete

### FEATURES:

- Dries to a Clear Glossy Finish
- 100% Acrylic Formula

- Fast Drying
- Durable Lasting Finish

### COVERAGE:

130 to 170 square feet per gallon per coat.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
4.75 Gal Jug	66705	1	46 lbs.
.9 Gal Pail	66701	6	55 lbs.

## CONCRETE PATCH



A 100% acrylic heavy-bodied trowel grade crack filler designed for filling larger cracks up to 1" wide in concrete surfaces. Concrete Patch can also be used to fill and repair damaged and spalled areas in concrete up to 1/4" deep.

### USES:

- Use to Repair Concrete Driveways, Floors, Patios, Sidewalks, Pool Decks, & More

### FEATURES:

- 100% Acrylic Formulation

- Fills Cracks Up To 1" Wide
- Heavy-Bodied Trowel Grade Formula
- Repairs Damaged & Spalled Areas Up to 1/4" Deep

### COVERAGE:

Dependent upon depth and width of repair.

### PRODUCT DETAILS:

SIZE:	ITEM #	PACK	WEIGHT
.9 Gal. Pail	66711	6	99.8 lbs.





**FOR MORE INFORMATION, PLEASE VISIT [JETCOATINC.COM](http://JETCOATINC.COM)**

For over 50 years the **JETCOAT** name has stood for quality and performance. Today, **JETCOAT** continues to be a leader and innovator of driveway, roof, foundation, agricultural and specialty coatings to meet the performance and environmental requirements of demanding professionals as well as the farm and D-I-Y markets.

The ongoing success of **JETCOAT** is directly attributed to the continued support and loyalty of our customers who depend on our unmatched quality and service to meet their dynamic needs.

**JETCOAT IS A TRUSTED NAME-  
YESTERDAY, TODAY AND INTO THE FUTURE.**



P.O. BOX 23054  
472 S. Brehl Avenue  
Columbus, OH 43223

Phone: 1.800.394.0047

Fax: 1.614.279.7201